

VENTILATION & AIR EQUIPMENT									
EQUIPMENT	Q	A/V	N/A	REMARK	EQUIPMENT	Q	A/V	N/A	REMARK
Laryngoscope handle with extra batteries and bulbs					Saline drops and bulb suction for infants				
Portable and fixed suction apparatus with a regulator					Pulse oximeter with pediatric and adult probes				
Wide-bore tubing, rigid pharyngeal curved suction tip; tonsil and flexible suction catheters, 6F-16F, are commercially available (have one between 6F and 10F and one between 12F and 16F)					Airways : Nasopharyngeal (16F-34F;adult&child sizes Oropharyngeal (sizes 0-5;adult,child,& infant sizes)				
Portable oxygen apparatus, capable of metered flow with adequate tubing					Portable and fixed oxygen supply equipment Variable flowmeter				
Bag-valve mask (manual resuscitator) Hand-operated, self-expanding bag; adult (>1000 ml) and child (450-750 ml) sizes, with oxygen reservoir/accumulator, valve (clear, operable in cold weather), and mask (adult, child, infant, and neonate sizes)					Oxygen administration equipment Adequate-length tubing; transparent mask (adult and child sizes), both non-rebreathing and valveless; nasal cannulas (adult, child)				
<b>Monitoring and Defibrillation</b>					<b>Immobilization Devices</b>				
Magill Forceps					Cervical collars Rigid for children ages 2 years or older, infant, child, and adult sizes (small, medium, large, and other available sizes) OR pediatric and adult adjustable cervical collars				
Pedia									
Laryngoscope Extra Batteries					Head immobilization device (not sandbags) Firm padding or commercial device				
Laryngoscope Blade Set					Upper and lower extremity immobilization devices Joint-above and joint-below fracture (adult and child sizes), rigid- support appropriate material (cardboard, metal, pneumatic, vacuum, wood, or plastic)				
Curved 2-4									
BIS ground ambulances should be equipped with an automated external defibrillator (AED) unless staffed by advanced life support personnel who are carrying a monitor/defibrillator.The AED should have pediatric capabilities, including child sized pads					Upper and lower extremity immobilization devices Joint-above and joint-below fracture (adult and child sizes), rigid- support appropriate material (cardboard, metal, pneumatic, vacuum, wood, or plastic)				
					Impervious backboards (long, short, radiolucent preferred) and extrication device Short extrication/immobilization device Long transport (head-to-feet length) with at least 3 appropriate restraint straps (chin strap alone should not be used for head immobilization) and with padding for children and handholds for moving patients				

EQUIPMENT	Q	AV	NA	REMARK	EQUIPMENT	Q	AV	NA	REMARK
esophageal-tracheal double-lumen airway					INFECTION CONTROL				
disposable supraglottic airway, or laryngeal mask airway					Gloves 6 . 6.5 . 7 . 7.5 . 8				
laryngeal tube					Alcohol swab				
esophageal-tracheal double-lumen airway					Disinfectant hand wash				
End-tidal CO2 detection capability (adult and pediatric)					Bandages/Hemorrhage Control				
ETT size 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, and 5.5 mm cuffed and/uncuffed,					Bagtegras (Sefratol)				
ETT 6.0, 6.5, 7.0, 7.5, and 8.0 mm cuffed (1 each),					Commercially packaged or sterile burn sheets				
Lubricating jelly					4*4 gauze , Abdominal dressing				
MISCELLANEOUS					Plaster				
Sphygmomanometer					Gauze bandage				
Stethoscope Adult, Pedia					Crepe bandage , Triangular bandages				
Thermometer with cover					VASCULAR ACCESS				
Glucometer with strips					Iv Canula 16 G .18 G . 20 G . 22 G . 24 G				
Scissors					Syring 1CC Insulin				
FORM					Syring 1CC . 3CC . 5CC . 10CC				
Triage card	Recorder form				Iv Set				
Narcotic form	Cheek list form				Intravenous administration sets (microdrip and macrodrip)				
NOTE					3 Way				
If any change in the quantity ,pls remark hear:					Reviewed and checked by :				
.....					Name				
.....					Signature				
.....									
.....									

EQUIPMENT	Q	AV	NA	REMARK	IVF	Q	AV	NA	REMARK
Adenosine 6mg/2ml					Methylpresnisolone 80mg/2ml				
Amiodarone 150mg					Naloxone 0.4mg/ml X 2 amp				
Aspirin 81 mg tablets					Phentolamine 10mg/Vial				
Atropine sulfate 0.6mg/ml					Phenytoin 50mg/ ml				
Calcium Chloride 10% (10ml)					Sodium Bicarbonate 10ml Ped Syringe				
Calcium Gluconate 10% (1g/10ml)					Verapamil 5mg/2ml				
Calcium Gluconate 10% (1g/10ml)					Propranolol 1mg/ml				
Digoxin 0.1mg/ml (0.5mg/2ml)					Metochlorpopramide				
Diazoxide 300mg/20ml					Paracetamol 1gm iv				
Diphenhydramine 50mg/ml					Sulfadiazine silver-burn cream				
Dobutamine 250mg					Sterile Water for injsection				
Dopamine 200mg/5ml					NS 0.9				500 ml
Epinephrine 1mg/10 (IV)					D 5 %				500 ml
Furosemide 20mg/2ml					D 10 %				500 ml
Glucagon 1-mg vial					R / S				500 ml
Heparin Sodium 10units/ ml					R / L				500 ml
Hydrocortisone 250mg/2ml					NARCOTIC MEDICATION				
Labetolol 100mg/20ml					Diazepam 10mg injection				
Lidocaine 100mg/5 ml (preload)					Morphine Sulfate 10mg/ml				
Magnesium Sulfate 50% (1g/2ml)					Haloperidol 5mg/ml				
NOTE									
If any change in the quantity ,pls remark hear: ..... ..... ..... .....					Reviewed and checked by :				
					Name				
					Signature				